


## TECHNICAL DATA | STAINLESS STEEL BACKING RING TABLE F

Standards: AS4087  
 Size Range: 90mm - 800mm  
 Materials: Stainless Steel 316  
 Pressure Rating: PN21



Nominal Pipe OD mm / inch	OD mm	ID mm	Thickness mm	PCD mm	Bolt Hole No. x Dia	Bolt Size mm	Code
<b>90</b>	205	108	15	165	8 x 18	M16	BWBRSSF090
<b>125mm x 4"</b>	230	128	19	191	8 x 18	M16	BWBRSSF1254
<b>160</b>	305	178	17	235	8 x 22	M20	BWBRSSF160
<b>180</b>	305	195	24	260	12 x 22	M20	BWBRSSF180
<b>200</b>	370	235	24	324	12 x 22	M20	BWBRSSF200
<b>225</b>	405	238	30	356	12 x 26	M24	BWBRSSF225
<b>250</b>	430	288	30	381	12 x 26	M24	BWBRSSF250
<b>280</b>	430	300	30	381	12 x 26	M24	BWBRSSF280
<b>315</b>	490	345	30	438	16 x 26	M24	BWBRSSF315
<b>355</b>	550	376	30	495	16 x 30	M27	BWBRSSFE355
<b>400</b>	610	430	38	552	20 x 30	M27	BWBRSSF400
<b>450</b>	675	470	38	610	20 x 33	M30	BWBRSSF450
<b>500</b>	735	533	48	673	24 x 33	M30	BWBRSSF500
<b>630</b>	850	645	68	984	28 x 36	M33	BWBRSSF630
<b>710</b>	935	740	58	857	24 x 36	M33	BWBRSSF710
<b>800</b>	1060	843	68	984	28 x 36	M33	BWBRSSF800

**Note:**

Installation should always be performed by a licensed operator. As the thicknesses of these flanges differ, it is the responsibility of the licensed installer to check the pressure rating of the flange to be installed, is suitable for the system which it is being used on. Correct installation procedures should always be followed.

The drawings, materials and specifications outlined are subject to change without notice due to the continuous improvements and development of our product range.

**FUSION QLD PTY LTD**

ABN: 42 987 067 369  
 13 Vision Court, Noosaville, QLD, 4566  
 42-44 South Link, Dandenong, VIC, 3175

**CONTACT**

T: +61 7 5474 3000 (Qld)  
 T: +61 3 9037 4755 (Vic)  
 E: sales@fusionqld.com.au  
 W: fusionqld.com.au