


TECHNICAL DATA | FAUCET TEE

Standards: ASTM D2467

Size Range: 15mm x 1/2" - 50mm x 2"

Materials: uPVC





Size	L mm	L1 mm	L2 mm	D inch	ID mm	Code
15mm x 1/2"	61.4	44.95	30.7	1/2"	13.84	STTF1512
20mm x 3/4"	68.6	51.75	35	3/4"	18.88	STTF2034
20mm x 1/2"	68.6	51.75	32.5	1/2"	13.84	STTF2012
25mm x 1"	85	65.25	44	1"	24.3	STTF251
25mm x 1/2"	85	65.25	40.5	1/2"	13.84	STTF2512
25mm x 3/4"	85	65.25	40.5	3/4"	18.88	STTF2534
32mm x 1¼"	98.5	76.75	51	1¼"	32.5	STTF32114
32mm x 1"	98.5	76.75	49.5	1"	24.3	STTF321
40mm x 1½"	113	87.5	57.5	1½"	38.14	STTF40112
40mm x 1/2"	82	69.95	56.6	1/2"	13.84	STTF4012
40mm x 3/4"	113	87.5	58	3/4"	18.88	STTF4034
40mm x 1"	113	87.5	58	1"	24.3	STTF401

Note:

Installation should always be performed by a licensed operator. It is the responsibility of the installer to check that both the pipe(s) and fitting(s) that are installed are compatible, only compatible materials should be joined together. It is the responsibility of the licensed installer to check the PN ratings marked on the fitting(s) and ensure that the pipe is compatible. Correct installation procedures should always be followed.

The drawings, materials and specifications outlined are subject to change without notice due to the continuous improvements and development of our product range.

CONTACT

T: +61 7 5474 3000 (Qld) T: +61 3 9037 4755 (Vic)

E: sales@fusionqld.com.au W: fusionqld.com.au




TECHNICAL DATA | FAUCET TEE

Standards: ASTM D2467

Size Range: 15mm x 1/2" - 50mm x 2"

Materials: uPVC





Size	L mm	L1 mm	L2 mm	D inch	ID mm	Code
40mm x 1¼"	113	87.5	58	1¼"	32.5	STTF40114
50mm x 3/4"	99.2	85.1	70.8	3/4"	18.88	STTF5034
50mm x 1"	138	107	71	1"	24.3	STTF501
50mm x 1½"	138	107	71	1½"	38.14	STTF50112
50mm x 2"	138	107	70	2"	49.22	STTF502

Note:

Installation should always be performed by a licensed operator. It is the responsibility of the installer to check that both the pipe(s) and fitting(s) that are installed are compatible, only compatible materials should be joined together. It is the responsibility of the licensed installer to check the PN ratings marked on the fitting(s) and ensure that the pipe is compatible. Correct installation procedures should always be followed.

The drawings, materials and specifications outlined are subject to change without notice due to the continuous improvements and development of our product range.

CONTACT

W: fusionqld.com.au